





YEOMAN RAINGUARD RAINWATER SYSTEMS

making business a pleasure for over 55 years

Welcome to Yeoman Rainguard's range of Aluminium Rainwater Systems and Associated Products.

As one of the most versatile materials Aluminium has proved to be a popular choice in the Yeoman Rainguard range.

Over the years we have grown and enhanced this product group to fulfil the technical and aesthetic necessities our customers have required.

From expanding our colour range to our bespoke manufacturing capabilities supplying "special" products that help to design out costs and improve functionality, Yeoman Rainguard have developed an Aluminium gutter, downpipe and component portfolio which is second to none.

New Additions

Yeoman Rainguard have launched two new downpipe ranges which can be integrated into our aluminium systems.

The new **Aluminium Flush Fit Downpipes** are sleek, smooth finished pipes which are perfect for where a fresh contemporary look is required with the benefit of an easy slot-fit connecting method.

Using a back plate fixing method has led to Yeoman Rainguard creating the **Aluminium Security Downpipe** which by eliminating the need for fixing brackets results in anti-climb security.

Complementing Products

Also fresh to the Yeoman Rainguard Aluminium family, are complementary products to add extra design flair and durability to the building envelope. These are the **Squareline** range of Fascia, Soffits, Coping and Cills which are manufactured from the same durable aluminium and can also be finished in a colour to match the gutters, downpipes and fenestration.

Experience and Professionalism

At Yeoman Rainguard we take great pride in our expertise and customer service with our offers of free site surveys and samples as well as a technical team on hand to give advice on which products are a best fit for your building.

We boast an armful of accreditations, highlighting our commitment to areas such has Health & Safety, quality and environmental issues.

We are sure you will find this brochure informative and look forward to helping you choose the right rainwater system for your project.



WHY CHOOSE A YEOMAN RAINGUARD ALUMINIUM RAINWATER SYSTEM?

- A versatile product available in a range of sizes, profiles and lengths suitable for all types of buildings - modern, traditional or heritage.
- Systems can be colour matched to any RAL, BS or other popular colour palette with either a textured or smooth surface finish.
- A highly recyclable material, offering a sustainable, green option, contributing to BREEAM categories with considerate processes such as minimising chemical and carbon emissions in manufacture as well as responsible material sourcing being implemented.
- Corrosion resistant with the extra protection of a polyester powder coating.
- Maintenance free (periodic cleaning is reccomended).
- Strong and durable giving a lifecycle of 30+ years.*
- Bespoke products available to help design out costs and ensure faultless function.
- Quick and easy to install with full guides and instructions available.
- Full advice and product support from a dedicated customer service team from project conception through to after sales.
- *(dependent on environmental factors)







4

YEOMAN RAINGUARD CUSTOMER SERVICES

Offering a wealth of experience, gained from over 50 years in the industry, Yeoman Rainguard's technical team is on hand to guide and advise on which rainwater systems and fixing components are needed to ensure the perfect finishing touch to your building project.

We offer a range of services to the self-builder, developer and contractor alike to speed up and simplify the choice and purchasing process.

FREE site surveys, samples, take-off from architect drawings and itemised quotations are

accessible by contacting the office on 0113 279 5854 or info@rainguard.co.uk

Bespoke components such as angles, offsets and one-piece angle units can be manufactured to designout costs for non-standard requirements ensuring the functionality of the rainwater system is achieved.

Yeoman Rainguard are one of the few UK rainwater system manufacturers who offers a **colour matching service**. Whether it's a BS, RAL, Dulux, Farrow & Ball or Little Greene shade, we can provide gutters and downpipes in matching colours.



Whilst choosing your rainwater system, don't forget to flip out the checklist at the back of the brochure to help with your requirements. An **Installation Service** carried out by our directly employed or approved installers is available, however for DIY or builders, comprehensive fixing instructions and guides can be found on the website www.rainguard.co.uk

Our team is ready to help with your project.

We like to pride ourselves on delivering quality products and offering a friendly, helpful and above all, personal service and look forward to assisting in providing an aesthetically pleasing, highly functional rainwater system for your building project.

Get in touch:



XL Aluminium - Gutters

Yeoman Rainguard XL Aluminium Gutters are extruded profiles using aluminium alloy to EN AW-6063 T6 BS 12020 – 2:2001. Offering joint fix technology, helping to speed up the installation process. Looks great on traditional or modern buildings.

Colours & Finishes

Black textured polyester powder coating as a standard.

Colour matching to BS/ RAL or other popular colour palettes.

Maintenance Free

Periodical cleaning out still required to ensure optimal function.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days.

Bespoke Items

Non-standard angles, special gutter units and brackets to required dimensions can be manufactured on request.

Installation



Got everything you need? See the fold out check list on the inside back cover.





XL Aluminium Gutter Fittings



Sales Helpline: 0113 279 5854

XL Aluminium - Downpipes

Yeoman Rainguard XL Aluminium Downpipes are extruded profiles using aluminium alloy to EN AW-6063 T5 T6 BS 12020 – 2:2001. Pipe collars are diecast. Pairs with the XL gutters as well as the Cast Aluminium gutters and hopper range. A classic look for renovation or new build projects.

Colours & Finishes

Black textured polyester powder coating as a standard.

Colour matching to BS/ RAL or other popular colour palettes.

Maintenance Free

Periodical cleaning out still required to ensure optimal function.

Life Cycle 30+ years

30+ years

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days.

Optional Fittings

Access plates, passovers, rodding eyes, decorative ears, special configurations.

Installation



Got everything you need? See the fold out check list on the inside back cover.

XL Aluminium Downpipes 3.0 m, 2.0 m and 1.0 m lengths



*PLEASE PROVIDE DETAILS OF PROJECTION WHEN ORDERING



SL Aluminium - Gutters

Easy to fit with a joint fixing method Yeoman Rainguard SL Aluminium Gutters are 2 mm thick extruded profiles using aluminium alloy to EN AW-6063 T6 BS EN 12020 – 2:2001. With a smooth coating the SL system is perfect for more contemporary builds.

Colours & Finishes

Black smooth polyester powder coating as a standard.

Colour matching to BS/ RAL or other popular colour palettes.

Maintenance Free

Periodical cleaning out still required to ensure optimal function.

Life Cycle

30+ years.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days.

Bespoke Items

Non-standard angles, special gutter units and brackets to required dimensions can be manufactured on request.

Installation



Got everything you need? See the fold out check list on the inside back cover.

SL Aluminium Gutter Profiles 3.0 m and 2.0 m lengths



SL Aluminium - Downpipes

Yeoman Rainguard SL Aluminium Downpipes have a simple swaged socket and are extruded profiles using aluminium alloy to EN AW-6063 T5 T6 BS 12020.

Colours & Finishes

Black smooth polyester powder coating as a Pipe standard. Colour matching to BS/ RAL or other popular colour palettes. Maintenance Free Periodical cleaning out still required to ensure optimal function. Life Cycle 30+ years. **Environmental** Highly recyclable and sustainable, enhancing BREEAM scoring. Deliverv Stock items 2 to 3 working days, manufactured to order 7-14 days. Installation **Drainage Base Pipe Bracket**

SL Aluminium Downpipes 3.0m, 2.0m, 1.0m lengths



Standard Aluminium - Downpipes

Standard Aluminium Downpipes are extruded sections using aluminium alloy to EN AW-6063 T5 T6 BS 12020 – 2:2001. Downpipe Collars are die cast. A traditional style compatible with the XL Aluminium range of gutters.

Colours & Finishes

Black textured polyester powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes.

Maintenance Free

Periodical cleaning out still required to ensure optimal function.

Life Cycle

30+ years.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days.

Optional Fittings

Special bends and offsets, access plates and rodding eyes.

Installation



Got everything you need? See the fold out check list on the inside back cover.



Standard Aluminium Downpipes 3.0 m, 2.0 m and 1.0 m lengths



Standard Aluminium Downpipe Fittings



Aluminium - Flush Fit Downpipes

Yeoman Rainguard Flush Fit pipes are extruded profiles using aluminium alloy to EN AW-6063 T5 T6 BS 12020 – 2:2001. Without a swage these pipes can be installed when a fresh contemporary look is required. With an easy slot-fit connecting method and fixed to walls via pipe fixing brackets.

Colours & Finishes

Black smooth polyester powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes.

Maintenance Free

Periodical cleaning out still required to ensure optimal function.

Life Cycle

30+ years.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days.

Installation



Got everything you need? See the fold out check list on the inside back cover.

Flush Fit Aluminium Downpipes & Fittings 3.0 m, 2.0 m and 1.0 m lengths

Available in round and square as well as rectangular 100 x 75 mm



Aluminium - Security Pipes

Yeoman Rainguard Security Pipes are extruded profiles using aluminium alloy to EN AW-6063 T5 T6 BS 12020 – 2:2001. Fitted via a plate at the back of the pipe, eliminating the need for brackets, becoming an anti-climb security system.



Aluminium Security Pipes. 3.0 m, 2.0 m and 1.0 m lengths

Cast Aluminium - Gutters & Hoppers

Yeoman Rainguard Cast Aluminium Gutters are gravity fed die casting using LM 27 Alloy. A very traditional guttering compatible with the Aluminium range.

Standard Cast Aluminium Gutter Accesories Supplied in standard 1.8 m lengths

Colours & Finishes Black textured polyester powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes.	No 46 Moulded	Ogee Size (mm) 100, 125, 150	Size (mm) 100, 112, 125	alf Round Size (mm) 100, 112, 125, 150
Maintenance Free Periodical cleaning out still required to ensure optimal function.	Runnning Outlet	90° External Angle*	90° Internal Angle*	135° External Angle*
Delivery: Stock items 2 to 3 working days, Manufactured 7-14 working days				
Environmental: Highly recyclable and sustainable, enhancing BREEAM scoring.	135° Internal Angle	Union Clip	Left and Right Stop Ends	Fascia Bracket
Installation				t
		-	Stainless Steel Fixing Screw	Silicone Joint Sealant
				Sucon Stater
16			* NON STANDARD AN	IGLES MADE TO ORDER

Cast Aluminium Hoppers



WIDTH	255mm	
PROJECTION	180mm	
HEIGHT	170mm	

Motif



WIDTH	380mm
PROJECTION	185mm
HEIGHT	180mm





WIDTH	285mm
PROJECTION	205mm
HEIGHT	250mm



N.B. Further Cast Aluminium Hopper designs can be found at www.rainguard.co.uk/hoppers/aluminium-hoppers/

Squareline Aluminium - Fascia & Soffits 3.0 m and 2.0 m lengths

Yeoman Rainguard SL Aluminium Gutters are 2 mm thick formed profiles using aluminium alloy to EN AW-6063 T6 BS EN 12020 – 2:2001. An attractive addition to any roofline proving suitable for a wide range of properties.



Black smooth polyester powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes.

Fittings

Stop End, Box End and Angle fittings available.

Maintenance Free

Life Cycle

30+ years.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days

Installation



Typical designs shown, these can be adapted to accommodate overall girth sizes and number of folds as required.



Squareline Aluminium - Coping Systems

Manufactured to fit perfectly to building project specifics, Yeoman Rainguard's Squareline Aluminum Coping systems offer a lightweight, durable, clean line to parapets and perimeter walls for commercial or residential builds. Formed using aluminium alloy to EN AW – 6063 T6 BS EN 12020 – 2:200 incorporating a clip over fixing method hiding mechanical fixings.

Colours & Finishes Flat Coping 135° External Angle Black smooth polyester 3.0 m, 2.0 m and 1.0 m lengths powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes. Maintenance Free Life Cycle 30+ years average. 90° Angle **T** Junction Environmental Highly recyclable and sustainable, enhancing BREEAM scoring. Delivery Manufactured to order 7-14 days. **Bespoke Items** Non-standard angles, Abutment End Stop End special gutter units and brackets to required dimensions can be manufactured on request. Installation Half Bracket **Fixing Bracket** Sales Helpline: 0113 279 5854 19

Squareline Aluminium - Cills

Yeoman Rainguard Squareline Cills are 2 mm thick formed profiles using aluminium alloy to EN AW-6063 T6 BS EN 12020 – 2:200. As well as protecting stone and woodwork from the elements, an aluminium cill offers clean finishes with the option of colour matching to fenestration and rainwater systems.

Colours & Finishes

Black smooth polyester powder coating as a standard. Colour matching to BS/ RAL or other popular colour palettes.

Fittings Stop End

Stop End, Box End and Angle fittings available.

Maintenance Free

Life Cycle 30+ years.

Environmental

Highly recyclable and sustainable, enhancing BREEAM scoring.

Delivery

Stock items 2 to 3 working days, manufactured to order 7-14 days

Installation

For installation advise please contact our Sales Office

Typical designs shown, these can be adapted to accommodate overall girth sizes and number of folds as required.



TESTIMONIALS

"The installation team not only did a great fit but were look perfect on the finished products ticked all the very tidy and considerate in cleaning up afterwards.

I would certainly use the product again and have already recommended them and the team to others."

Spatial Architect, Cheshire.

"The rainwater systems property and we are very pleased with the quality of products and service that Yeoman Rainguard gave us.'

Housebuilder, Virginia Water.

"We are absolutely delighted with the way it looks,"

School Site Manager, York.

"Yeoman Rainguard boxes for us on quality, style and ease of people a luxury home and not only is design very important but also the functionality and longevity of products involved in the build".

Developer. Wetherby

"Working with Yeoman Rainguard certainly proved their worth and I had expertise advice to installation. We are offering succeed in what I had set out to achieve, which was a rainwater product that would serve its purpose. look good and do away with the hideous plastic drainage system,"

> Home renovator, Surrey.

"Hatherlow Church is a grade II listed building, and as such we were looking for a system that would be in keeping with the mid – 19th century building, as well as matching existing gutters and downpipes already installed. The product would also have to cope with the vast amount of water that flows from the pitched roof when it rains.

Being budget conscious, we also required the lowest cost possible, for an aesthetically pleasing, long lasting and highly functional system. Yeoman Rainguard managed to tick all the boxes."

Church Elder.







A COMPREHENSIVE CHOICE OF





MATERIAL, STYLE & COLOUR



ARCHITECT CHOOSES YEOMAN RAINGUARD FOR HOME RENOVATION



Spatial Design Architect, Sharron Dobrev, when renovating the exterior of her late Victorian home, chose Yeoman Rainguard rainwater systems for both functionality and design capabilities to achieve a desired finish.

Having started by completely gutting and refurbishing the home's interior, attention was turned to the fading grandeur of the property, which was originally built c.1910.

The addition of an attractive bright white rendering brought vivacity back to the house where Yeoman Rainguard's gutters, pipes and soil pipe products were chosen.





Colour matched in harmony Experience, skills and a with the white wall finishes, Yeoman Rainguard XL aluminium 125 x 100 mm MOG gutters and 75 mm dia. downpipes were installed by the Yeoman Rainguard team to the majority of the house.

A high functioning system, the XL is light weight with a powder coating, offering a traditional looking product with modern benefits, such as robustness, long lifecycle, very low maintenance and recyclability.

GRP guttering was bespoke manufactured in the MOG profile to accommodate a radius required over a bay. This, being compatible to the XL range, was able to feed into the XL Aluminium run of guttering at either side.

comprehensive range of products, enabled Yeoman Rainguard to accommodate all the specific requirements for this older property renovation project.

Ms Dobrev commented "The installation team not only did a great fit but were very tidy and considerate in cleaning up afterwards.

"I would certainly use the product again and have already recommended them and the team to others."

With over 40 years in the industry Yeoman Rainguard are specialists in providing the right rainwater systems for renovation projects on historical, listed and heritage buildings.

For assistance with your project go to www. rainguard.co.uk or call 0113 279 5854.

Property developers Golden Eye Group, augmented their latest residential development with a high-end exterior finish incorporating a rainwater system from Yeoman Rainguard.

With a mantra of "a quality finish that will stand the test of time" Golden Eve ensured that quality was reflected not only internally downpipes were chosen. but for all parts of the external building envelope too.

As part of the function and design criteria of the house facade, Yeoman Rainguard were able to provide a sophisticated, quality rainwater system to fulfil technical and aesthetic requirements.

To dovetail into the contemporary look, Yeoman Rainguard SL Aluminium gutters and The 75 x 75 mm flush-fit SL Aluminium downpipes provided a modern clean line coupled with 125 x 100 mm MOG gutter.



YEOMAN RAINGUARD **CROWNING GLORY** ON HIGH END DEVELOPMENT



Aluminium Fascia and Soffits from Yeoman Rainguard's new Squareline range were fitted to complement the sleek lines. All were finished in a smooth RAL 7022 Grey colour to perfectly match the shade of the windows and doors.

The aluminium products give a hard wearing, maintenance free life cycle of 30 years or more, making this recyclable material both an ecologically and economically sound choice.

The rainwater system was installed by Yeoman Rainguard's experienced installer, ensuring the perfect finish.









Harrison Thompson & Co Ltd., Yeoman House, Whitehall Estate, Whitehall Road, Leeds, LS12 5JB t: 0113 279 5854 e: info@rainguard.co.uk WWW.rainguard.co.uk

CHECK LIST

